ELSEVIER

Volume 322, Numbers 1–2, 28 June 2001

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

# Contents

**Letters**

First-principles electronic structure calculations of $Ba_5Si_2N_6$ with anomalous $Si_2N_6$ dimeric units . . . . . L1
C.M. Fang, H.T. Hintzen (Eindhoven, The Netherlands), R.A. de Groot (Nijmegen and Groningen, The Netherlands) and G. de With (Eindhoven, The Netherlands)

Comparison of the catalytic effects of V, $V_2O_5$, VN, and VC on the hydrogen sorption of nanocrystalline Mg . . . . . L5
W. Oelerich, T. Klassen and R. Bormann (Geesthacht, Germany)

The upper critical field in superconducting $MgB_2$ . . . . . L10
K.-H. Müller, G. Fuchs, A. Handstein, K. Nenkov, V.N. Narozhnyi and D. Eckert (Dresden, Germany)

Oxidation and electronic-specific heat of $YB_2$ . . . . . L14
Y. Song, S. Zhang and X. Wu (Beijing, China)

Thermodynamic analysis of crystallisation in amorphous solids . . . . . L17
W. Sha (Belfast, UK)

Enthalpies of formation of binary systems of Ti, V, Mo and Hf with Ge . . . . . L19
A. Yassin (Baghdad, Iraq), M. Gilbert and R. Castanet (Marseille, France)

**Physics**

Crystal structures of binary alloys between La, Ce and Pr under pressure . . . . . 1
O. Degtyareva and W.B. Holzapfel (Paderborn, Germany)

U ternaries with ZrNiAl structure — lattice properties . . . . . 7
L. Havela (Prague, Czech Republic and Karlsruhe, Germany), M. Diviš, V. Sechovský, A.V. Andreev (Prague, Czech Republic), F. Honda, G. Oomi (Kumamoto, Japan), Y. Méresse and S. Heathman (Karlsruhe, Germany)

Pd–Pt alloys: correlation between electronic structure and hydrogenation properties . . . . . 14
I. Moysan (Is sur Tille and Dijon, France), V. Paul-Boncour (Thiais, France), S. Thiébaut (Is sur Tille, France), E. Sciora (Dijon, France), J.M. Fournier (St. Martin d'Hères, France), R. Cortes (Orsay, France), S. Bourgeois (Dijon, France) and A. Percheron-Guégan (Thiais, France)

Magnetic properties and magnetic structures of $RPtGe_2$ and $RIrGe_2$ ($R$=Gd–Er) compounds . . . . . 21
A. Gil (Częstochowa, Poland), B. Penc (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), A. Szytula (Kraków, Poland) and A. Zygmunt (Wroclaw, Poland)

Magnetic properties of $Sm_6Fe_{23}$ crystal . . . . . 37
H. Samata (Kobe, Japan), T. Uchida (Kanagawa, Japan), Y. Shimizu, S. Sato, S.M. Yashiro and Y. Nagata (Tokyo, Japan)

Magnetostriction and magnetic anisotropy in $TbFe_{11}TiH_x$ ($x$=0, 1) single crystals . . . . . 42
S.A. Nikitin, I.S. Tereshina (Moscow, Russia and Wroclaw, Poland), V.N. Verbetsky, A.A. Salamova (Moscow, Russia), K.P. Skokov (Tver, Russia), N.Yu. Pankratov (Moscow, Russia), Yu.V. Skourski, N.V. Tristan (Wroclaw, Poland), V.V. Zubenko and I.V. Telegina (Moscow, Russia)

The electronic structure of the Laves phase intermetallics $LnM_2$ (Ln=Y, La–Lu, M=Mg, Al) and the $LaMg_2H_7$ and $CeMg_2H_7$ hydrides . . . . . 45
E. Orgaz (México, D.F., Mexico)

Magnetic structures of the $TbCuSb_2$ compound . . . . . 55
M. Kolenda, A. Oleś and A. Szytuła (Kraków, Poland)

High-pressure synthesis of novel europium magnesium hydrides . . . . . 59
H. Kohlmann, B. Bertheville (Genève, Switzerland), T. Hansen (Grenoble, France) and K. Yvon (Genève, Switzerland)

The structure and magnetic properties of $Gd_2Co_{17-x}Mn_x$ ($x$=0–4) compounds . . . . . 69
Z.-g. Sun, S.-y. Zhang, H.-w. Zhang and B.-g. Shen (Beijing, PR China)

Elsevier Science B.V.

High-pressure synthesis of $Yb_2Cu_2In$ and its physical properties . . . . . 74
N. Tsujii, H. Kitô, H. Kitazawa and G. Kido (Ibaraki, Japan)

Heat capacity measurement of $BaUO_3$ . . . . . 77
T. Matsuda, S. Yamanaka, K. Kurosaki, M. Uno and S.-i. Kobayashi (Osaka, Japan)

Magnetic properties of cubic and hexagonal chromium hydrides: a comparison of the magnetic susceptibility with the $^{53}Cr$ NMR Knight shift . . . . . 82
J. Poźniak-Fabrowska, B. Nowak (Wrocław, Poland) and M. Tkacz (Warsaw, Poland)

**Chemistry**

New $MM'O_4$ oxides derived from the rutile type: synthesis, structure and study of magnetic and electronic properties . . . . . 89
J. Isasi (Madrid, Spain)

Reactivity of $V_2O_5$, $MoO_3$ and $WO_3$ in molten $KNO_3$, studied by mass spectrometry . . . . . 97
P. Afanasiev (Villeurbanne, France) and D.H. Kerridge (Southampton, UK)

Structures of the quaternary iron germanium antimonides $R_{1-x}(R,Fe)_6Ge_4(Ge,Sb)_2$ ($R$=Ti, Cr, Mn), filled derivatives of $FeGe_{1-x}Sb_x$ . . . . . 103
A.M. Mills, E.J. Anderson and A. Mar (Edmonton, Canada)

Activity of SrO in $La_{1-x}Sr_xMnO_{3-y}$ ($x$=0.065, 0.10, 0.15 or 0.20) by a solid state EMF method . . . . . 113
S. Arul Antony (Chennai, India), K. Swaminathan (Kalpakkam, India), K.S. Nagaraja (Chennai, India) and O.M. Sreedharan (Kalpakkam, India)

Dense $WSi_2$ and $WSi_2$–20 vol.% $ZrO_2$ composite synthesized by pressure-assisted field-activated combustion . . . . . 120
I.J. Shon, D.H. Rho, H.C. Kim (Chonbuk, South Korea) and Z.A. Munir (Davis, CA, USA)

Structural disorder and magnetism of the semiconducting clathrate $Eu_8Ga_{16}Ge_{30}$ . . . . . 127
B.C. Chakoumakos, B.C. Sales and D.G. Mandrus (Oak Ridge, TN, USA)

Synthesis, crystal structure and chemical bonding of a new La–In–Ge ternary phase: $La_{11}In_6Ge_4$ . . . . . 135
J. Mao and A.M. Guloy (Houston, TX, USA)

Synthesis and investigation of plutonium oxide cluster ions: $Pu_xO_y^+$ ($x \leq 18$) . . . . . 143
J.K. Gibson and R.G. Haire (Oak Ridge, TN, USA)

Crystal structure of $NaRbB_4O_5(OH)_4 \cdot 4H_2O$: comparison with other tetraborate hydrates . . . . . 153
A. Ben Ali (Zarzouna, Tunisia and Le Mans, France), L.S. Smiri (Zarzouna, Tunisia) and V. Maisonneuve (Le Mans, France)

**Metallurgy**

Crystal structure of $TbNiSiD_{1.78}$ . . . . . 160
H.W. Brinks, V.A. Yartys and B.C. Hauback (Kjeller, Norway)

The effects of Ti and Cr additions on the phase equilibria and properties of (Pt)/$Pt_3Al$ alloys . . . . . 166
P.J. Hill (Randburg and WITS, South Africa), L.A. Cornish (WITS, South Africa), P. Ellis (Randburg, South Africa) and M.J. Witcomb (WITS, South Africa)

The Nd–Cu–P system . . . . . 176
R.O. Demchyna, S.V. Oryshchyn and Yu.B. Kuz'ma (L'viv, Ukraine)

Standard enthalpy of formation of $Al_{0.28}Fe_{0.72}$ at 298 K . . . . . 184
Y. Feutelais, B. Legendre (Chatenay-Malabry, France), M. Guymont (Orsay, France) and P. Ochin (Vitry/Seine, France)

New $HfFe_6Ge_6$–$ScFe_6Ga_6$ intergrowth structures in $ScFe_6Ge_{6-x}Ga_x$ compounds ($0.5 \leq x \leq 5.5$) . . . . . 190
G. Venturini (Vandoeuvre les Nancy, France)

Compositional inhomogeneity of Pd–Ag nanoparticles probed by hydrogen . . . . . 198
H.-C. Chu, S.-R. Sheen, C.-T. Yeh and T.-P. Perng (Hsinchu, Taiwan)

**Materials Science**

Synthesis and structural characteristics of $LiCoO_2$ powders prepared by mechanical alloying of $LiOH \cdot H_2O$ and $Co(OH)_2$ . . . 205
W.T. Jeong and K.S. Lee (Seoul, South Korea)

New method of insertion of hydrogen in $R_2Fe_{16}Ti$ alloys with R=Y and Nd . . . . . 211
M. Ellouze (Sfax, Tunisie), Ph. l'Héritier (Saint Martin d'Hères, France), A. Cheikh-Rouhou (Sfax, Tunisie) and J.C. Joubert (Saint Martin d'Hères, France)

Formation of a non-equilibrium nanocrystalline phase by chemical leaching of rod-milled $Al_{0.6}(Fe_{50}Cu_{50})$ alloy . . . . . 214
H.-G. Kim, W.-N. Myung (Kwangju, South Korea), K. Sumiyama (Nagoya, Japan) and K. Suzuki (Tokyo, Japan)

Preparation and characterization of lithium doped indium sesqui-oxide . . . . . 220
M. Sasaki, R. Kiyoshima, S. Kohiki, S. Matsushima (Kita-kyusyu, Japan), M. Oku and T. Shishido (Sendai, Japan)

Effects of Cu addition on the thermoelectric properties of hot-pressed β-$FeSi_2$ with SiC dispersion . . . . . 226
M. Ito, H. Nagai, D. Harimoto, S. Katsuyama and K. Majima (Osaka, Japan)

Electrochemical properties of nanocrystalline $(Zr,La)(V,Ni)_{2.25}$ alloy . . . . . 233
M. Jurczyk, W. Majchrzycki, M. Nowak and E. Jankowska (Poznań, Poland)

Calcination and sintering of fluorapatite under argon atmosphere . . . . . 238
F. Ben Ayed, J. Bouaziz (Sfax, Tunisia) and K. Bouzouita (Monastir, Tunisia)

Characteristic of a new Mg–Ni hydrogen storage system: $Mg_{2-x}Ni_{1-y}Ti_xMn_y$ ($0<x<1$, $0<y<1$) alloys . . . . . 246
H.-t. Yuan, R. Cao, L.-b. Wang, Y.-j. Wang, X.-p. Gao, H.-b. Yang, M.-z. Li and S.-f. Wang (Tianjin, PR China)

Characterization investigations of melt-spun ternary Al–$x$Si–3.3Fe ($x$=10, 20 wt.%) alloys . . . . . 249
N. Ünlü, A. Genç, M.L. Öveçoğlu, N. Eruslu (Istanbul, Turkey) and F.H. Froes (Moscow, ID, USA)

Phase relations and hydrogenation behavior of $Sr_{1-x}Ca_xAl_2$ ($0\leq x\leq 1$) . . . . . 257
Q.A. Zhang, H. Enoki and E. Akiba (Ibaraki, Japan)

Calorimetric studies on $Rb_2U_4O_{11}$(s) and $Tl_2U_4O_{11}$(s) . . . . . 265
A. Banerjee, R. Prasad and V. Venugopal (Mumbai, India)

A study on the effect of nickel, cobalt or graphite addition on the electrochemical properties of an $AB_5$ hydrogen storage alloy and the mechanism of the effects . . . . . 269
A. Yuan and N. Xu (Shanghai, PR China)

Solidification behavior in undercooled Nd–Fe–B alloys . . . . . 276
S. Ozawa, T. Saito, J. Yu and T. Motegi (Chiba, Japan)

Electrochemical evaluation of sintered metal hydride electrodes for electric vehicle applications . . . . . 281
J.-J. Jiang (Wuhan, China and Helsinki, Finland), M. Gasik, J. Laine and M. Lampinen (Helsinki, Finland)

Stability of the austenitic phase in ultra-fine particles of Fe-based alloys . . . . . 286
W. Qin (Hunan and Guangxi, PR China) and Z.H. Chen (Hunan, PR China)

Preparation and characterization of PLZT ceramics using high-energy ball milling . . . . . 290
L.B. Kong, J. Ma, W. Zhu and O.K. Tan (Nanyang, Singapore)

Energy transfer in $PbWO_4/Dy^{3+}$ luminescence . . . . . 298
D. Zhou, Y. Chen, C. Shi, Y. Wei, H. Chen and M. Yin (Anhui, China)

**Erratum**

Erratum to 'Hydrogen occupancy, $^1$H NMR spectrum and second moment of $Zr_xNi_{1-x}$–H metallic glasses'. [J. Alloys Comp. 313 (2000) 31–41] . . . . . 302
G. Lasanda, P. Bánki and K. Tompa (Budapest, Hungary)

Author Index of Volume 322 . . . . . 303

Subject Index of Volume 322 . . . . . 305

Keyword list